Notice of Allowability	Application No.	Applicant(s)
	09/745,645	MILEWSKI ET AL.
	Examiner	Art Unit
	Patricia L. Nordmeyer	1772
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	or other appropriate communication.	correspondence address pplication. If not included
1. This communication is responsive to 10/4/04.		
2.  The allowed claim(s) is/are <u>27-34 and 36-40</u> .		
3. The drawings filed on 22 December 2000 are accepted by	the Examiner.	
4.  Acknowledgment is made of a claim for foreign priority un a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have  2.  Certified copies of the priority documents have  3.  Copies of the certified copies of the priority documents have  International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" on oted below. Failure to timely comply will result in ABANDONMETHIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  5.  A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which gives  6.  CORRECTED DRAWINGS ( as "replacement sheets") must  (a)  including changes required by the Notice of Draftsperso  1)  hereto or 2)  to Paper No./Mail Date  (b)  including changes required by the attached Examiner's Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in the each sheet. Replacement sheet(s) should be Required Examiner's comment regarding REQUIREMENT FOR the priority documents have a place of the prio	been received. been received in Application No cuments have been received in this of this communication to file a reply ENT of this application.  ted. Note the attached EXAMINER is reason(s) why the oath or declarate be submitted. in's Patent Drawing Review ( PTO- Amendment / Comment or in the Comment or in the Comment of the drawing replacement of the drawing replacement of the Comment of the drawing replacement of the Comment of the Comment of the drawing replacement of the Comment of the drawing replacement of the Comment of the Comme	complying with the requirements  'S AMENDMENT or NOTICE OF thion is deficient.  948) attached  Office action of the back of the state o
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08) Paper No./Mail Date Paper No./Mail Date Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary ( Paper No./Mail Date , 7. ☐ Examiner's Amendm	

Art Unit: 1772

## REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The closest prior art of record fails to teach or suggest the recited floor covering made of an elastically deformable material. Independent claim 39 identifies the uniquely distinct features of a substrate that include "third projections provided on the underside, arranged between the second projections, and having, in an unstressed state of the floor covering, a height smaller than a height of the second projections". The closest prior art of record, Stockl (USPN 3,699,926) in view of Dungl (USPN 4,329,981), disclose a floor mat having first and second projections on the upper and lower sides of the floor covering, which either singularly or in combination, fail to anticipate or render obvious the above limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Patricia L. Nordmeyer whose telephone number is (571) 272-1496. The examiner can normally be reached on Mon.-Thurs. from 7:00-4:30 & alternate Fridays.

Art Unit: 1772

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Y. Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Patricia L. Nordmeyer Examiner

Art Unit 1772

Pln

HAROLD PYON
SUPERVISORY PATENT EXAMINER

1112

11/8/04